

## **Atmospheric chemistry II lecture course**

G. Lammel

[lammel@mpch-mainz.mpg.de](mailto:lammel@mpch-mainz.mpg.de)

<http://www.mpimet.mpg.de/~lammel.gerhard>

### **1. Course materials accessible**

[http://www.ak-hoffmann.chemie.uni-mainz.de/at\\_chem\\_e.htm](http://www.ak-hoffmann.chemie.uni-mainz.de/at_chem_e.htm)

### **2. Recommended textbooks**

#### Atmospheric chemistry:

Finlayson-Pitts BJ, Pitts JN: Chemistry of the upper and lower atmosphere, San Diego (Academic Press), 2<sup>nd</sup> ed., 1998

Jacobson MZ: Atmospheric pollution: History, science, and regulation, Cambridge/UK (Cambridge University Press), 2002, 399 pp.

Warneck P: Chemistry of the natural atmosphere (International Geophysics Vol. 71), San Diego (Academic Press), 2<sup>nd</sup> ed., 2000

#### Chemical kinetics:

Barrow GM: Physical chemistry, New York (McGraw-Hill), 6<sup>th</sup> ed., 1996

#### Aerosols:

Seinfeld JH, Pandis SN: Atmospheric chemistry and physics - from air pollution to climate change, Weinheim/Germany (Wiley-VCH), 2<sup>nd</sup> ed., 2006

#### Multicompartmental chemistry:

Klöpffer W: Verhalten und Abbau von Umweltchemikalien, Landsberg (Ecomed), Germany 1996

Schwartzenbach RP, Gschwend PM, Imboden DM: Environmental organic chemistry, New York (Wiley), 2<sup>nd</sup> ed., 2002

### 3. References made in the lecture course II

- AMAP (2003): AMAP Assessment 2002: Persistent organic pollutants in the Arctic, Arctic Monitoring and Assessment Programme, Oslo, 309 pp.
- Arijs E, Brasseur G (1986): Acetonitrile in the stratosphere and implications for positive ion composition, *J. Geophys. Res.* 91, 4003-4016
- Armitage J, Cousins IT, Buck RC, Prevedouros K, Macleod M, Korzeniowski S (2006): Modeling global-scale fate and transport of perfluoroctanoate emitted from direct sources, *Environ.Sci.Technol.* 40, 32–44
- Arsene C, Bougiatioti A, Kanakidou M, Bonsang M, Mihalopoulos N (2007): Tropospheric OH and Cl levels deduced from non-methane hydrocarbon measurements in a marine site, *Atmos. Chem. Phys.* 7, 4661-4673
- Arya SP (1995): Modeling and parameterization of near source diffusion in weak winds, *J. Appl. Meteor.* 34, 1112-1122
- Arya SP (2001): Introduction to Micrometeorology, Academic Press, San Diego, 420 pp.
- Barton CA, Kaiser MA, Russell MH (2007): Partitioning and removal of perfluoroctanoate during rain events: the importance of physical-chemical properties, *J. Environ. Monitoring* 9, 839-846
- Beljaars ACM, Holtslag AAM (1991): Flux parameterization over land surfaces for atmospheric models, *J. Appl. Meteor.* 30, 327-341
- Benkelberg HJ, Hamm S, Warneck P (1995): Henry's law coefficients for aqueous solutions of acetone, acetaldehyde and acetonitrile, and equilibrium constants for the addition compounds of acetone and acetaldehyde with bisulfite, *J. Atmos. Chem.* 20, 17-34
- Benson DR, Young LH, Rifkha Kameel F, Lee SH (2008): Laboratory-measured nucleation rates of sulfuric acid and water binary homogeneous nucleation from the  $\text{SO}_2 + \text{OH}$  reaction, *Geophys. Res. Lett.* 35, L11801, doi:10.1029/2008GL033387
- Berndt T, Böge O, Stratmann F., Heintzenberg J., Kulmala M. (2005): Rapid formation of sulfuric acid particles at near-atmospheric conditions, *Science* 307, 698–700
- Berndt T, Böge O, Stratmann F (2006): Formation of atmospheric  $\text{H}_2\text{SO}_4/\text{H}_2\text{O}$  particles in the absence of organics: A laboratory study, *Geophys. Res. Lett.* 33, L15817, doi:10.1029/2006GL026660
- Berndt T, Stratmann F, Bräsel S, Heintzenberg J, Laaksonen A, Kulmala M (2008):  $\text{SO}_2$  oxidation products other than  $\text{H}_2\text{SO}_4$  as a trigger of new particle formation – Part 1: Laboratory investigations, *Atmos. Chem. Phys. Discuss.* 8, 9761-9782
- Besson JP, Schilt S, Rochat E, Thevenaz L (2006): Ammonia trace measurements at ppb level based on near-IR photoacoustic spectroscopy, *Appl. Phys.* 85B, 323-328
- Bidleman TF, Falconer RL (1999): Enantiomer ratios for apportioning two sources of chiral compounds. *Environ. Sci. Technol.* 33, 2299-2301
- Bidleman TF, Leone AD (2004): Soil-air exchange of organochlorine pesticides in the southern United States. *Environ. Poll.* 128: 49-57
- Birmili W, Berresheim H, Plass-Dülmer C, Elste T, Gilge S, Wiedensohler A, Uhrner U (2003): The Hohenpeissenberg aerosol formation experiment (HAFEX): a long-term study including size-resolved aerosol,  $\text{H}_2\text{SO}_4$ , OH, and monoterpenes measurements, *Atmos. Chem. Phys.* 3, 361-376
- Blais JM, Schindler DW, Muir DCG, Kimpe LE, Donald DB, Rosenberg B (2000): Accumulation of persistent organochlorine compounds in mountains of western Canada. *Nature* 393, 585-588
- Blake N, Penkett S, Clemitchaw K, Anwyl P, Lightman P, Marsh A, Butcher G (1993): Estimates of atmospheric hydroxyl radical concentrations from the observed decay of many reactive hydrocarbons in well-defined urban plumes, *J. Geophys. Res.* 98, 2851-2864
- Bouwman AF, Lee DS, Asman WAH, Dentener FJ, dan der Hoek KW, Olivier JGG (1997): A global high-resolution emission inventory for ammonia, *Glob. Biogeochem. Cycles* 11, 561-587
- Brimblecombe P, Dawson GA (1984): Wet removal of highly soluble gases, *J. Atmos. Chem.* 2, 95-107
- Broadgate W, Liss P, Penkett S (1997): Seasonal Emissions of Isoprene and Other Reactive Hydrocarbon Gases from the Ocean, *Geophys. Res. Lett.* 24, 2675-2678
- Businger JA (1986): Evaluation of the accuracy with which dry deposition velocity can be measured with current micrometeorological techniques, *J. Appl. Meteor.* 25, 1100–1124
- Businger JA, Oncley SP (1990): Flux measurements with conditional sampling, *J. Atmos. Oceanic Technol.* 7, 349-352
- Calvert JG, Atkinson R, Becker KH, Kamens RM, Seinfeld JH, Wallington TH, Yarwood G (2002): The mechanisms of atmospheric oxidation of the aromatic hydrocarbons, New York (Oxford University Press), 461 pp.
- Clegg SL, Whitfield M (1995): A chemical model of seawater including dissolved ammonia and the stoichiometric dissociation constant of ammonia in estuarine water and seawater from  $-2^\circ\text{C}$  to  $40^\circ\text{C}$ , *Geochim. Cosmochim. Acta* 59, 2403, doi:10.1016/0016-7037(95)00135-2

- Dasgupta PK (1984): A diffusion scrubber for the collection of atmospheric gases, *Atmos. Environ.* 18, 1593-1599
- Dentener FJ, Crutzen PJ (1994): A three dimensional model of the global ammonia cycle, *J. Atmos. Chem.* 19, 331-369
- Dentener F, Drevet J, Lamarque JF, Bey I, Eickhout B, Fiore AM, Hauglustaine D, Horowitz LW, Krol M, Kulshrestha UC, Lawrence M, Galy-Lacaux C, Rast S, Shindell D, Stevenson D, Van Noije T, Atherton V, Bell N, Bergman D, Butler T, Cofala J, Collins B, Doherty R, Ellingsen K, Galloway J, Gauss M, Montanaro V, Müller FJ, Pitari G, Rodriguez J, Sanderson M, Solmon F, Strahan S, Schultz M, Sudo K, Szopa S, Wild O (2006): Nitrogen and sulfur deposition on regional and global scales: A multimodel evaluation, *Glob. Biogeochem. Cycles* 20, GB4003, doi:10.1029/2005GB002672
- de Saussure NT (1804): *Recherches chimiques sur la végétation*, Paris
- Ding X, Wang XM, Xie ZQ, Xiang CH, Mai BX, Sun LG, Zheng M, Sheng GY, Fu JM, Pöschl U (2007): Atmospheric polycyclic aromatic hydrocarbons observed over the North Pacific ocean and the Arctic area: Spatial distribution and source identification, *Atmos. Environ.* 41, 2061-2072
- EEA (2006)- European Environment Agency: Air quality and ancillary benefits of climate change policies, EEA, Copenhagen, [http://reports.eea.europa.eu/technical\\_report\\_2006\\_4/en](http://reports.eea.europa.eu/technical_report_2006_4/en)
- Erisman JW, Bleeker A, Galloway JN, Sutton MS (2007): Reduced nitrogen in ecology and the environment, *Environ. Poll.* 150, 140-149
- Esteve W, Budzinski H, Villenave E (2004): Relative rate constants for the heterogeneous reactions of NO<sub>2</sub> and OH radicals with polycyclic aromatic hydrocarbons adsorbed on carbonaceous particles. Part 1: PAHs adsorbed on 1-2 μm calibrated graphite particles, *Atmos. Environ.* 38, 6063-6072
- Esteve W, Budzinski H, Villenave E (2004): Relative rate constants for the heterogeneous reactions of NO<sub>2</sub> and OH radicals with polycyclic aromatic hydrocarbons adsorbed on carbonaceous particles. Part 2: PAHs adsorbed on diesel particulate exhaust SRM 1650a, *Atmos. Environ.* 40, 201-211
- Faust BC, Anastasio C, Allen JM, Arakaki T (1993): Aqueous-phase photochemical formation of peroxides in authentic cloud and fog waters, *Science* 260, 73-75
- Fickert S, Adams JW, Crowley JN (1999): Activation of Br<sub>2</sub> and BrCl via uptake of HOBr onto aqueous salt solutions, *J. Geophys. Res.* 104, 23719-23727
- Finizio A, Bidleman TF, Szeto SY (1998): Emission of chiral pesticides from an agricultural soil in the Fraser valley, British Columbia, *Chemosphere* 36, 345-355
- Finlayson-Pitts BJ (2003): The tropospheric chemistry of sea salt: A molecular-level view of the chemistry of NaCl and NaBr, *Chem. Rev.* 103, 4801-4822
- Finlayson-Pitts BJ, Pitts JN (1998): Chemistry of the upper and lower atmosphere, San Diego (Academic Press), 2<sup>nd</sup> ed.
- Friedrich R, Wickert B, Blank P, Emeis S, Engewald W, Hasel D, Hoffmann H Michael H, Obermeier A, Schäfer K, Schmitz T, Sedlmaier A, Stockhause M, Theloke J, Weber FJ (2002): Development of emission models and improvement of emission data for Germany, *J. Atmos. Chem.* 42, 179-206
- Galarneau E, Bidleman TF, Blanchard P (2006): Modelling the temperature-induced blow-off and blow-on artefacts in filter-sorbent measurements of semivolatile substances, *Atmos. Environ.* 40, 4258-4268
- Galle B, Klemmedsson L, Bergqvist B, Ferm M, Tornqvist K, Griffith DWT, Jensen NO, Hansen F (2000): Measurements of ammonia emissions from spreading of manure using gradient FTIR techniques, *Atmos. Environ.* 34, 4907-4915
- Galloway JN, Schlesinger WH, Levy H, Michaels A, Schnoor JL (1995): Nitrogen fixation: Anthropogenic enhancement-environmental response, *Global Biogeochem. Cycles* 9, 235-252
- Gao W (1995): The vertical change of coefficient b, used in the relaxed Eddy accumulation method for flux measurement above and within canopy, *Atmos. Environ.* 29, 2339-2347
- Genfa Z, Dasgupta PK, Dong S (1989): Measurements of atmospheric ammonia, *Environ. Sci. Technol.* 23, 1467-1474
- Geyer A, Aliche B, Konrad S, Schmitz T, Stutz J, Platt U (2001): Chemistry and oxidation capacity of the nitrate radical in the continental boundary layer near Berlin, *J. Geophys. Res.* 106, 8013-8025
- Geyer A, Bächmann K, Hofzumahaus A, Holland F, Konrad S, Klüpfel T, Pätz HW, Perner T, Mihelcic D, Schäfer HJ, Volz-Thomas A, Platt U (2003): Nighttime formation of peroxy and hydroxyl radicals during the BERLIOZ campaign: Observations and modeling studies, *J. Geophys. Res.* 108, 8249, doi:10.1029/2001JD000656
- Gibb SW, Mantoura RFC, Liss PS (1999): Ocean-atmosphere exchange and speciation of ammonia and methylamines in the region of the NW Arabian Sea, *Global Biogeochem. Cycles*, 13, 161- 178
- Giesy J, Kannan K (2002) : Perfluorochemical surfactants in the environment, *Environ. Sci. Technol.* 36, 146A-152A

- Grimalt JO, Fernández P, Berdie L, Vilanova RM, Catalan J, Psenner R, Hofer R, Appleby PG, Rosseland BO, Lien L, Massabuau JC, Battarbee RW (2001) : Selective trapping of organochlorine compounds in mountain lakes of temperate areas, *Environ. Sci. Technol.* 35, 2690-2697
- Hamm S, Warneck P (1989): Gas chromatographic detection of acetonitrile in air using a thermionic detector, *Anal Chem.* 62, 1876-1883
- Hamm S, Helas G, Warneck P (1989): Acetonitrile in air over Europe, *Geophys. Res. Lett.* 16, 483-486
- Hamm S, Warneck P (1990): The interhemispheric distribution and the budget of acetonitrile in the troposphere, *J. Geophys. Res.* 95, 20593-20606
- Herrmann H (2003): Kinetics of aqueous phase reactions relevant for atmospheric chemistry, *Chem. Rev.* 103, 4691-4716
- Herrmann H, Wolke R, Müller K, Brüggemann E, Gnauk T, Barzaghi P, Mertes S, Lehmann K, Massling A, Birmili W, Wiedensohler A, Wiprecht W, Acker K, Jaeschke W, Kramberger H, Svcina B, Bächmann K, Collett JL, Galgon D, Schwirn K, Nowak A, van Pinxteren D, Plewka A, Chemnitzer R, Rüd C, Hofmann D, Tilgner A, Diehl K, Heinold B, Hinneburg D, Knoth O, Sehili AM, Simmel M, Wurzler S, Majdik ZT, Mauersberger G, Müller F (2005): FEBUKO and MODMEP: Field measurements and modelling of aerosol and cloud multiphase processes. *Atmos. Environ.* 39, 4169-4183
- Hibbard xx (2006):
- Hicks BB (1986): Measuring dry deposition: a reassessment of the state of the art. *Water Air Soil Poll.* 30, 75–90
- Hicks BB, MacMillen RT (1984): A simulation of the eddy accumulation method for measuring pollutant fluxes, *J. Clim. Appl. Meteor.* 23, 637-643
- Hoigné J, Bühler R (1996): Kinetics of ozonation processes in cloud and fog water: Transition metal ions on free radical reactions, in: *Transport and chemical transformation of pollutants in the troposphere* (Borrell P, Borrell PM, Cvitaš T, Kelly K, Seiler W, eds.), Heidelberg (Springer), pp. 110-115
- Horváth L, Asztalos M, Führer E, Mészáros R, Weidinger T (2005): Measurement of ammonia exchange over grassland in the Hungarian Great Plain, *Agr. For. Meteor.* 130, 282-298
- Hoyau V, Jaffrezo JL, Garrigues P, Clain MP, Masclet P (1996): Deposition of aerosols in polar regions-contamination of the ice sheet by polycyclic aromatic hydrocarbons, *Polycyclic Aromatic Compounds* 8, 35-44
- Huey LG (2007): Measurement of trace atmospheric species by chemical ionization mass spectrometry: Speciation of reactive nitrogen and future directions, *Mass Spectrometry Rev.* 26, 166-184
- Hühnerfuss H, Kallenborn R (1992): Chromatographic separation of marine organic pollutants. *J. Chromatogr.* 580, 191-214
- Hühnerfuss H, Faller J, König WA, Ludwig P (1992): Gas chromatographic separation of the enantiomers of marine pollutants. 4. Fate of hexachlorocyclohexane isomers in the Baltic and North Sea. *Environ. Sci. Technol.* 26, 2127-2133
- Iida K, Stolzenburg MR, McMurry PH, Smith JN, Quant FR, Obereit DR, Keady PB, Lewis G, Hering SV (2008): An ultrafine, water-based condensation particle counter and its evaluation under field conditions, *Aerosol Sci. Technol.*, in press
- Jaenicke R (1988): Aerosol physics and chemistry, *Landolt-Börnstein Neue Serie* 4b, 391-457
- Jaeschke W., Dierssen JP, Günther A, Schumann M (1998): Phase partitioning of ammonia and ammonium in a multiphase system studied using a new vertical wet denuder technique. *Atmos. Environ.* 32, 365-371
- Jaffrezo JL, Colin JL (1988): Rain-aerosol coupling in urban area: Scavenging ratio measurement and identification of some transfer processes, *Atmos. Environ.* 22, 929-935
- Jaffrezo JL, Masclet P, Clain MP, Wortham H, Beyne S, Cachier H (1993): Transfer function of polycyclic aromatic hydrocarbons from the atmosphere to the polar ice - 1. Determination of atmospheric concentrations at dye 3, Greenland, *Atmos. Environ.* 27, 2781-2785
- Jahnke A; Ahrens L; Ebinghaus R; Temme C (2007): Urban versus remote air concentrations of fluorotelomer alcohols and other polyfluorinated alkyl substances in Germany; *Environ. Sci. and Technol.* 41, 745-752
- Jickells TD, Kelly SD, Baker AR, Biswas K, Dennis PF, Spokes LJ, Witt M, Yeatman SG (2003): Isotopic evidence for a marine ammonia source, *Geophys. Res. Lett.* 30, 1374, doi:10.1029/2002GL016728
- Jobson BT, Niki H, Yokouchi Y, Bottemheim J, Hopper F, Leitch R (1994): Measurements of C<sub>2</sub>-C<sub>6</sub> hydrocarbons during the Polar Sunrise 1992 experiment: Evidence for Cl atom and Br atom chemistry, *J. Geophys. Res.* 99, 25355-25368
- Johnson MT (2004): The air-sea flux of ammonia, Ph.D. thesis, Univ. of East Anglia, Norwich, UK
- Johnson MT, Liss PS, Bell TG, Lesworth TJ, Baker AR, Hind AJ, Jickells TD, Biswas KF, Woodward EMS, Gibb SW (2008): Field observations of the ocean-atmosphere exchange of ammonia: Fundamental importance of temperature as revealed by a comparison of high and low latitudes, *Global Biogeochem. Cycles* 22, GB1019, doi:10.1029/2007GB003039

- Junninen H, Rantanen S, Rosman K, Hansson HC, Kerminen VM, Kulmala M (2008): Long term measurements of low levels of ammonia in rural environment, European Aerosol Conf. 2008, Thessaloniki, Abstract T06A174O
- Keith LH, Crummett W, Deegan J, Libby RA, Taylor JK, Wentler G (1983): Principles of environmental analysis, *Anal. Chem.* 55, 2210-2218
- Klaassen G (1992): Discussion and conclusions on emission inventories and emission coefficients for ammonia, in: Ammonia emissions in Europe: Emission coefficients and abatement costs (Klaassen G, ed.), International Institute for Applied Systems Analysis, Report No. CP-92-4, Laxenburg, Austria, pp. 169-174
- Klánová J, Kohoutek J, Hamplová L, Urbanová P, Holoubek I (2006): Passive air sampler as a tool for long-term air pollution monitoring - 1. Performance assessment for seasonal and spatial variations, *Environ. Poll.* 144, 393-405
- Klánová J, Čupr P, Holoubek I, Harner T (2008): Assessing the influence of meteorological parameters on the performance of polyurethane foam-based passive air samplers, *Environ. Sci. Technol.* 42, 550-555
- Klöpffer W (1994): Environmental hazard - assessment of chemicals and products – 2. Persistence and degradability of organic chemicals, *Environ. Sci. Pollut. Res.* 1, 108-116
- Knipping EM, Dabdub D (2003): Impact of chlorine emissions from sea-salt aerosol on coastal urban ozone, *Environ. Sci. Technol.* 37, 275–284
- Laakso L, Grönholm T, Kulmala L, Haapanala S, Hirsikko A, Lovejoy ER, Kazil J, Kurten T, Boy M, Nilsson ED, Sogachev A, Riipinen I, Stratmann F, Kulmala M (2007): Hot-air balloon as a platform for boundary layer profile measurements during particle formation, *Boreal Environ. Res.* 12, 279-294
- Lagrange J, Pallarès C, Lagrange P (1994): Electrolyte effects on aqueous atmospheric oxidation of sulphur dioxide by ozone, *J. Geophys. Res.* 99, 14595-14600
- Lagrange J, Lagrange P, Pallarès C, Wenger G (1996): Electrolyte effects on aqueous oxidation of sulfur dioxide by strong oxidants, in: Transport and chemical transformation of pollutants in the troposphere (Borrell P, Borrell PM, Cvitaš T, Kelly K, Seiler W, eds.), Heidelberg (Springer), pp. 89-96
- Lammel G, Röhrl A, Stahlschmidt C, Engelhardt T, Leip A, Schneider F, Wieser P, Gerwig H (2001): Charakterisierung von Aerosolen in der stark anthropogen geprägten Industrie- und Agrarregion (Teil Chemie), Final report project No. BMBF 07AF102B/4, Max Planck Institute for Meteorology, Hamburg, 32 pp.
- Lauque P, Bendahan M, Seguin JL, Ngo KA, Knauth P (2004): Highly sensitive and selective room temperature NH<sub>3</sub> gas microsensor using an ionic conductor (CuBr) film, *Anal. Chim. Acta* 515, 279-284
- Leip A, Lammel G (2004): Indicators for persistence and long-range transport potential as derived from multicompartiment chemistry-transport modelling, *Environ. Poll.* 128, 205-221
- Li YQ, Schwab JJ, Demerjian KL (2006): Measurements of ambient ammonia using a tunable diode laser absorption spectrometer: Characteristics of ambient ammonia emissions in an urban area of New York City, *J. Geophys. Res.* 111, D10S02
- Long GL, Weinfordner JH (1983): Limit of detection – a closer look at the IUPAC definition, *Anal. Chem.* 55, 712A-723A
- Losert-Valiente Kroon CM, Ford IJ (2007): Stochastic birth and death equations to treat chemistry and nucleation in small systems, in: Nucleation and Atmospheric Aerosols (17th International Conference, Galway, Ireland, 2007; O'Dowd C, Wagner PE, eds.), Springer, pp. 332-336
- Lovelock JE, Maggs RJ, Wade RJ (1973): Halogenated hydrocarbons in and over the Atlantic, *Nature* 241, 194-196
- Lushnikov AA, Bhatt JS, Ford IJ (2003): Stoichiometric approach to chemical kinetics in ultrafine aerosols, *J. Aerosol Sci.* 34, 1117-1133
- Macdonald RW, Barrie LA, Bidleman TF, Diamond ML, Gregor DJ, Semkin RG, Strachan WMJ, Li YF, Wania F, Alaee M, Alexeeva LB, Backus SM, Bailey R, Bewers JM, Gobeil C, Halsall CJ, Harner T, Hoff JT, Jantunen LMM, Lockhart WL, Mackay D, Muir DCG, Pudykiewicz J, Reimer KJ, Smith JN, Stern GA, Schroeder WH, Wagemann R, Yunker MB (2000): Contaminants in the Canadian Arctic: 5 years of progress in understanding sources, occurrence and pathways, *Sci. Total Environ.* 254, 93-234
- Madronich S., Calvert JG (1990): Permutation reactions of organic peroxy radicals in the troposphere, *J. Geophys. Res.* 95, 5697-5715
- Mäkelä JM, Yli-Koivisto S, Hiltunen V, Seidl W, Swietlicki E, Teinilä K, Sillanpää M, Koponen IK, Paatero J, Rosman K, Hämeri K (2001): Chemical composition of aerosol during particle formation events in boreal forest, *Tellus* 53B, 380-393
- McDow SR, Jang M, Hong Y, Kamens RM (1996): An approach to studying the effect of organic composition on atmospheric aerosol chemistry, *J. Geophys. Res.* 101, 19593-19600
- Menzi H, Neftel A, Besson JM, Stadelmann FX (1992): Special conditions influencing ammonia emission factors in Switzerland, in: Ammonia Emissions in Europe: Emission Coefficients and Abatement Costs

- (Klaassen G, ed.), International Institute for Applied Systems Analysis, Report No. CP-92-4, Laxenburg, Austria, pp.135-146
- Munger JW, Tiller C, Hoffman MR (1986): Identification of hydroxymethanesulfonate in fogwater, *Sci.* 231, 247-249
- Napari I, Noppel M, Vehkämäki H, Kulmala M (2002): Parametrization of ternary nucleation rates for  $\text{H}_2\text{SO}_4\text{-NH}_3\text{-H}_2\text{O}$  vapors, *J. Geophys. Res.* 107, 4381, doi:10.1029/2002JD002132
- Nemitz E, Flynn M, Williams PI, Milford C, Theobald MR, Blatter A, Gallagher MW, Sutton MA (2001): A Relaxed Eddy accumulation system for the automated measurement of atmospheric ammonia fluxes, *Water Air Soil Poll. Focus* 1, 189-202
- Norman M, Leck C (2005): Distribution of marine boundary layer ammonia over the Atlantic and Indian Oceans during the Aerosols99 cruise, *J. Geophys. Res.* 110, D16302, doi:10.1029/2005JD005866
- O'Brian RJ, Hard TM (1993): Tropospheric hydroxyl radical – a challenging analyte, in: Measurement challenges in atmospheric chemistry (Newman L, ed.), *Adv. Chem. Ser.* Vol. 232, Am. Chem. Soc., Washington, pp. 323-372
- Osthoff HD, Roberts JM, Ravishankara AR, Williams EJ, Lerner BM, Sommariva R, Bates TS, Coffman D, Quinn PK, Dibb JE, Stark H, Burkholder JB, Talukdar RK, Meagher J, Fehsenfeld FC, Brown SS (2008): High levels of nitryl chloride in the polluted subtropical marine boundary layer, *Nature Geosci.* 1, 324-328
- Pattey E, Desjardins RL, Rochette P (1993): Accuracy of the relaxed Eddy-accumulation technique, evaluated using  $\text{CO}_2$  flux measurements, *Boundary Layer Meteor.* 66, 341-355
- Perraudin E, Budzinski H, Villenave E (2007): Kinetic study of the reactions of ozone with polycyclic aromatic hydrocarbons adsorbed on atmospheric model particles, *J. Atmos. Chem.* 56, 57-82
- Pöschl U, Letzel T, Schauer C, Niessner R (2001): Interaction of ozone and water vapor with spark discharge soot aerosol particles coated with benzo[a]pyrene:  $\text{O}_3$  and  $\text{H}_2\text{O}$  adsorption, benzo[a]pyrene degradation, and atmospheric implications, *J. Phys. Chem.* 105A, 4029-4041
- Prevedouros K, Cousins IT, Buck RC, Korzeniowski S (2006): Sources, fate and transport of perfluorocarboxylates, *Environ. Sci. Technol.* 40, 32-44
- Quinn PK, Charlson RK, Bates TS (1988): Simultaneous observations of ammonia in the atmosphere and ocean, *Nature* 335, 336-338
- Quinn PK, Barrett KJ, Dentener FK, Lipschultz F, Six KD (1996): Estimation of the air/sea exchange of ammonia for the North Atlantic Basin, *Biogeochem.* 35, 275-304
- Penkett S, Blake N, Lightman P, Marsh A, Anwyl P, Butcher G (1993): The seasonal variation of nonmethane hydrocarbons in the free troposphere over the north Atlantic ocean: Possible evidence for extensive reaction of hydrocarbons with the nitrate radical, *J. Geophys. Res.* 98, 2865-2885
- Platt U, Allan W, Lowe D (2004): Hemispheric average Cl atom concentration from  $^{13}\text{C}/^{12}\text{C}$  ratios in atmospheric methane, *Atmos. Chem. Phys.* 4, 2393-2399
- Roadman MJ, Scudlark JR, Meisinger JJ, Ullman WJ (2003): Validation of Ogawa passive samplers for the determination of gaseous ammonia concentrations in agricultural settings, *Atmos. Environ.* 37, 2317-2325
- Roberts JM, Osthoff HD, Brown SS, Ravishankara AR (2008):  $\text{N}_2\text{O}_5$  oxidizes chloride to  $\text{Cl}_2$  in acidic atmospheric aerosol, *Sci.* 10.1126/science.1158777
- Rudolph J, Koppmann R, Plass-Dülmer C (1996): The budgets of ethane and tetrachloroethene: Is there evidence for an impact of reactions with chlorine atoms in the troposphere? *Atmos. Environ.* 30, 1887-1894
- Rudolph J, Ramacher B, Plass-Dülmer C, Müller KP, Koppmann R (1997): The indirect determination of chlorine atom concentration in the troposphere from changes in the patterns of non-methane hydrocarbons, *Tellus* 49, 592-601
- Sanhueza E (2001): Hydrochloric acid from chlorocarbons: a significant global source of background rain acidity, *Tellus* 53B, 122-132
- Schoeiring JK, Sommer SG, Ferm M (1992): A simple passive flux sampler for measuring ammonia emission in the field, *Water Air Soil Poll.* 62, 13-24
- Schoeiring JK (1995): Long-term quantification of ammonia exchange between agricultural cropland and the atmosphere – 1. Evaluation of a new method based on passive samplers in gradient configuration, *Atmos. Environ.* 28, 885-893
- Simon PK, Dasgupta PK (1993): Wet effluent denuder coupled liquid ion chromatography systems – Annual and parallel-plate denuders, *Anal. Chem.* 65, 1134-1139
- Singh HB, Kasting JF (1988): Chlorine-hydrocarbon photochemistry in the marine troposphere and lower stratosphere, *J. Atmos. Chem.* 7, 261-285
- Singh HB, O'Hara D, Herlth D, Sachse W, Blake DR, Bradshaw JD, Kanakidou M, Crutzen PJ (1995): Acetone in the atmosphere – distribution, sources and sinks, *J. Geophys. Res.* 99, 1805-1819
- Sousa Santos G (2008): The effect of halogens on global tropospheric ozone, PhD thesis, University of Hamburg, 161 pp.

- Spivakovsky CM, Logan JA, Montzka SA, Balkanski YJ, Foreman-Fowler M, Jones DBA, Horowitz LW, Fusco AC, Brenninkmeijer CAM, Prather MJ, Wofsy SC, McElroy MB (2000): Three-dimensional climatological distribution of tropospheric OH: Update and evaluation, *J. Geophys. Res.* 105, 8931-8980
- Stelson AW, Seinfeld JH (1982): Thermodynamic prediction of the water activity,  $\text{NH}_4\text{NO}_3$  dissociation constant, dissociation constant, density and refractive index for the  $\text{NH}_4\text{NO}_3\text{-}(\text{NH}_4)\text{SO}_4\text{-H}_2\text{O}$  system at 25°C, *Atmos. Environ.* 16, 2507-2514
- Stolzenburg MR, McMurry PH, Sakurai H, Smith JN, Mauldin RL, Eisele FL, Clement CF (2005): Growth rates of freshly nucleated atmospheric particles in Atlanta, *J. Geophys. Res.* 110, D22S05, doi:10.1029/2005JD005935
- Stumm W, Morgan JJ (1996): *Aquatic Chemistry, Chemical Equilibria and Rates in Natural Waters*, New York (Wiley), 3<sup>rd</sup> ed., 1022 pp.
- Sutton MA, Nemitz E, Milford C, Fowler D, Moreno J, San Jose R, Wyers GP, Otjes RP, Harrison RM, Husted S, Schjoerring, JK (2000): Fluxes of ammonia over oilseed rape: overview of the North Berwick experiment, Ammonia fluxes with oilseed rape, *Agric. Forest Meteorol.* 105, 327-349
- Sutton MA, Erisman JW, Dentener F, Möller D (2008): Ammonia in the environment: From ancient times to the present, *Environ. Poll.* in press, doi:10.1016/j.envpol.2008.03.013
- Sverdrup H, de Vries W, Henriksen A (1990): Mapping critical loads - Guidance to criteria, methods, and examples for mapping critical loads and areas where they have been exceeded, United Nations Economic Commission for Europe (UN-ECE), Geneva
- Tanaka PL, Riemer DD, Chang SH, Yarwood G, McDonald-Buller EC, Apel EC, Orlando JJ, Silva PJ, Jimenez JL, Canagaratna MR, Neece JD, Mullins CB, Allen DT (2003): Direct evidence for chlorine-enhanced urban ozone formation in Houston, Texas, *Atmos. Environ.* 37, 1393-1400
- Trebs I, Meixner FX, Slanina J, Otjes R, Jongejan P, Andreae MO (2004): Real-time measurements of ammonia, acidic trace gases and water-soluble inorganic aerosol species at a rural site in the Amazon Basin, *Atmos. Chem. Phys.* 4, 967-987
- Tsapakis M, Stephanou EG (2003): Collection of gas and particle semi-volatile organic compounds: Use of an oxidant denuder to minimize polycyclic aromatic hydrocarbons degradation during high-volume air sampling, *Atmos. Environ.* 37, 4935-4944
- UNEP (2003) – United Nations Environment Programme: Regional based assessment of persistent toxic substances – Global Report, Geneva, 107 pp.
- van Dingenen R, Raes F, Putaud JP, Baltensperger U, Brüggemann E, Charron A, Facchini MC, Decesari S, Fuzzi S, Gehrig R, Hansson HC, Harrison RM, Hüglin C, Jones AM, Laj P, Lorbeer G, Maenhaut W, Palmgren F, Querol X, Rodriguez S, Schneider J, ten Brink H, Tunved P, Torseth K, Wehner B, Weingartner E, Wiedensohler A, Wahlin P (2004): A European aerosol phenomenology, Part 1: Physical characteristics of particulate matter at kerbside, urban, rural and background sites in Europe, *Atmos. Environ.* 38, 2561-2577
- Vogt R, Crutzen PJ, Sander R (1996): A mechanism for halogen release from sea-salt aerosol in the remote marine boundary layer, *Nature* 383, 327-330
- von Glasow R, Sander R, Bott A, Crutzen PJ (2002): Modeling halogen chemistry in the marine boundary layer. 1. cloud-free MBL, *J. Geophys. Res.* 107, 4341, doi:10.1029/2001JD000942
- Wallington T, Hurley M, Xia J, Wuebbles D, Sillman S, Ito A, Penner JE, Ellis DA, Martin J, Mabury SA, Nielsen OJ, Sulbæk Andersen MP (2006): Formation of  $\text{C}_7\text{F}_{15}\text{COOH}$  (PFOA) and other perfluorocarboxylic acids during the atmospheric oxidation of 8:2 fluorotelomer alcohol, *Environ. Sci. Technol.* 40, 924-930
- Wania F (1999): On the origin of elevated levels of persistent chemicals in the environment, *Environ. Sci. Poll. Res.* 6, 11-18
- Wania F, Mackay D (1993): Global fractionation and cold condensation of low volatility organochlorine compounds in polar regions, *Ambio* 22, 10-18
- Wania F, Mackay D, Li YF, Bidleman TF, Strand A (1999): Global chemical fate of  $\alpha$ -hexachlorocyclohexane. 1. Evaluation of a global distribution model, *Environ. Toxicol. Chem.* 18, 1390-1399
- Warneck P (1986): The equilibrium distribution of atmospheric gases between the two phases of liquid water clouds, *NATO ASI Ser. G6* (Jaeschke W, ed.), Heidelberg (Springer), pp. 473-499
- Warneck P (1999): The relative importance of various pathways for the oxidation of sulfur dioxide and nitrogen dioxide in sunlit continental fair weather clouds, *Phys. Chem. Chem. Phys.* 1, 5471-5483
- Warneck P (2000): Chemistry of the natural atmosphere (International Geophysics Vol. 71), San Diego (Academic Press), 2nd ed.
- Warneck P, Mirabel P, Salmon GA, van Eldik R, Vinckier C, Wannowius KJ, Zetzsch C (1996): Review of the Activities and Achievements of the EUROTRAC Subproject HALIPP, in: *Transport and chemical transformation of pollutants in the troposphere* (Borrell P, Borrell PM, Cvitaš T, Kelly K, Seiler W, eds.), Heidelberg (Springer), pp. 7-76

- Weber RJ, Orsini D, Daun Y, Lee YN, Klotz PJ, Brechtel F (2001): A particle-into-liquid collector for rapid measurement of aerosol bulk chemical composition, *Aerosol Sci. Technol.* 35, 718–727
- Weber RJ, Marti JJ, McMurry PH, Eisele FL, Tanner DJ, Jefferson A (1996): Measured atmospheric new particle formation rates: Implications for nucleation theory, *Chem. Eng. Comm.* 151, 53-64
- Wingenter OW, Blake DR, Blake NJ, Sive BC, Rowland FS, Atlas E, Flocke F (1999): Tropospheric hydroxyl and atomic chlorine concentrations, and mixing timescales determined from hydrocarbon and halocarbon measurements made over the Southern Ocean, *J. Geophys. Res.* 104, 21819-21828
- Wyers GP, Otjes RP, Slanina J (1993): A continuous-flow denuder for the measurement of ambient concentrations and surface-exchange fluxes of ammonia, *Atmos. Environ.* 27A, 2085-2090
- Yamashita N, Taniyasu S, Petrick G, Wei S, Gamo T, Lam PKS, Kannan K (2008): Perfluorinated acids as novel chemical tracers of global circulation of ocean waters. *Chemosphere* 70, 1247–1255