

Vorlesung I – 15.04.2010 - "Wie der Mensch Sprache versteht"

Allgemein

Friederici, A.D. & Alter, K. (2004).

Lateralization of auditory language functions: A dynamic dual pathway model. *Brain and Language*, 89, 267-276.

Friederici, A.D. (1995).

The time course of syntactic activation during language processing: A model based on neuropsychological and neurophysiological data. *Brain and Language*, 50, 259-281.

Friederici, A.D. (2002).

Towards a neural basis of auditory sentence processing. *Trends in Cognitive Sciences*, 6, 78-84.

Syntax/Grammatik-Verarbeitung

Friederici, A.D., Bahlmann, J., Heim, S., Schubotz, R.I. & Anwender, A. (2006).

The brain differentiates human and non-human grammars: Functional localization and structural connectivity. *Proceedings of the National Academy of Sciences of the USA*, 103, 2458-2463.

Friederici, A.D., Fiebach, C.J., Schlesewsky, M., Bornkessel, I. & von Cramon, D.Y. (2006).

Processing linguistic complexity and grammaticality in the left frontal cortex. *Cerebral Cortex*, 16, 1709-1717.

Friederici, A.D., Rüschemeyer, S.-A., Hahne, A. & Fiebach, C.J. (2003).

The role of left inferior frontal and superior temporal cortex in sentence comprehension: Localizing syntactic and semantic processes. *Cerebral Cortex*, 13, 170-177.

Hahne, A. & Friederici, A.D. (2002).

Differential task effects on semantic and syntactic processes as revealed by ERPs. *Cognitive Brain Research*, 13, 339-356.

Linguistische Prosodie

Friederici, A.D., von Cramon, D.Y. & Kotz, S.A. (2007).

Role of the corpus callosum in speech comprehension: Interfacing syntax and prosody. *Neuron*, 53, 135-145.

Meyer, M., Alter, K., Friederici, A.D., Lohmann, G. & von Cramon, D.Y. (2002).

fMRI reveals brain regions mediating slow prosodic modulations in spoken sentences. *Human Brain Mapping*, 17, 73-88.

Meyer, M., Steinhauer, K., Alter, K., Friederici, A.D. & von Cramon, D.Y. (2004).

Brain activity varies with modulation of dynamic pitch variance in sentence melody. *Brain and Language*, 89, 277-289.

Steinhauer, K., Alter, K. & Friederici, A.D. (1999).
Brain potentials indicate immediate use of prosodic cues in natural speech processing. *Nature Neuroscience*, 2, 191-196.

Emotionale Prosodie

Schirmer, A., Kotz, S.A. & Friederici, A.D. (2002).
Sex differentiates the role of emotional prosody during word processing. *Cognitive Brain Research*, 14, 228-233.

Schirmer, A., Kotz, S.A. & Friederici, A.D. (2005).
On the role of attention for the processing of emotions in speech: Sex differences revisited. *Cognitive Brain Research*, 24, 442-452.

Vorlesung II – 22.04.2010 – “Wie das Kind Sprache erwirbt”

Allgemein

Friederici, A.D. (2005).
Neurophysiological markers of early language acquisition: From syllables to sentences. *Trends in Cognitive Sciences*, 9, 481-488.

Phonologie/Prosodie

Friederici, A.D., Friedrich, M. & Christophe, A. (2007).
Brain responses in 4-month-old infants are already language specific. *Current Biology*, 17, 1208-1211.

Friederici, A.D., Friedrich, M. & Weber, C. (2002).
Neural manifestation of cognitive and precognitive mismatch detection in early infancy. *NeuroReport*, 13, 1251-1254.

Friedrich, M., Weber, C. & Friederici, A.D. (2004).
Electrophysiological evidence for delayed mismatch response in infants at-risk for specific language impairment. *Psychophysiology*, 41, 772-782.

Grossmann, T., Oberecker, R., Koch, S.P. & Friederici, A.D. (2010).
The developmental origins of voice processing in the human brain. *Neuron*, 65, 852-858.

Homae, F., Watanabe, H., Nakano, T., Asakawa, K., Taga, G. (2006).
The right hemisphere of sleeping infant perceives sentential prosody. *Neuroscience Research*, 54, 276-280.

Mampe, B., Friederici, A.D., Christophe, A. & Wermke, K. (2009).
Newborns' cry melody is shaped by their native language. *Current Biology*, 19(23), 1994-1997.

Männel, C. & Friederici, A.D. (2009).
Pauses and intonational phrasing: ERP studies in 5-month-old German infants and adults. *Journal of Cognitive Neuroscience*, 21, 1988-2006.

Meyer, M., Steinhauer, K., Alter, K., Friederici, A.D. & von Cramon, D.Y. (2004).
Brain activity varies with modulation of dynamic pitch variance in sentence melody. *Brain and Language*, 89, 277-289.

Pannekamp, A., Weber, C. & Friederici, A.D. (2006).
Prosodic processing at the sentence level in infants. *NeuroReport*, 17, 675-678.

Schirmer, A., & Kotz, S. A. (2006).
Beyond the right hemisphere: Brain mechanisms mediating vocal emotional processing. *Trends in Cognitive Sciences*, 10, 24-30.

Steinhauer, K., Alter, K. & Friederici, A.D. (1999).
Brain potentials indicate immediate use of prosodic cues in natural speech processing. *Nature Neuroscience*, 2, 191-196.

Wort-Lernen/Verarbeiten

Friedrich, M. & Friederici, A.D. (2004).
N400-like semantic incongruity effect in 19-month-olds: Processing known words in picture contexts. *Journal of Cognitive Neuroscience*, 16, 1465-1477.

Friedrich, M. & Friederici, A.D. (2005).
Lexical priming and semantic integration reflected in the event-related potential of 14-month-olds. *NeuroReport*, 16, 653-656.

Friederici, A.D., Bahlmann, J., Heim, S., Schubotz, R.I. & Anwander, A. (2006).
The brain differentiates human and non-human grammars: Functional localization and structural connectivity. *Proceedings of the National Academy of Sciences of the USA*, 103, 2458-2463.

Mehler, J., Jusczyk, P., Lambertz, G., Halsted, N., Bertoncini, J., Amiel-Tison, C. (1988).
A precursor of language acquisition in young infants. *Cognition*, 29, 143-178.

Satzverarbeitung

Brauer, J. & Friederici, A.D. (2007).
Functional neural networks of semantic and syntactic processes in the developing brain. *Journal of Cognitive Neuroscience*, 19, 1609-1623.

Brauer, J., Anwander, A. & Friederici, A.D. (2010).
Neuroanatomical prerequisites for language functions in the maturing brain. *Cerebral Cortex. Online Advance publication*. doi: 10.1093/cercor/bhq108

- Dittmar, M., Abbot-Smith, K., Lieven, E., & Tomasello, M. (2008). German children's comprehension of word order and case marking in causative sentences. *Child Development, 79*, 1152-1167.
- Hahne, A. & Friederici, A.D. (2002). Differential task effects on semantic and syntactic processes as revealed by ERPs. *Cognitive Brain Research, 13*, 339-356.
- Höhle, B., Schmitz, M., Santelmann, L. M., & Weissenborn, J. (2006). The recognition of dis-continuous verbal dependencies by German 19-month-olds: Evidence for lexical and structural influences on children's early processing capacities. *Language Learning and Development, 2*, 277-300.
- Oberecker, R. & Friederici, A.D. (2006). Syntactic event-related potential components in 24-month-olds' sentence comprehension. *NeuroReport, 17*, 1017-1021.
- Oberecker, R., Friedrich, M. & Friederici, A.D. (2005). Neural correlates of syntactic processing in two-year-olds. *Journal of Cognitive Neuroscience, 17*, 1667-1678.
- Santelmann, L.M., Jusczyk, P.W. (1998) Sensitivity to discontinuous dependencies in language learners: evidence for limitations in processing space. *Cognition, 69*, 105-134.
- Tincoff, R., Santelmann, L., Jusczyk, P. (2000). Auxiliary verb learning and 18-month-olds' acquisition of morphological relationships. *Proceedings of the 24th Annual Boston University Conference on Language, vols 1 and 2*, 726-737.

Vorlesung III – 06.05.2010 - "Wie das Gehirn Sprache und Musik verarbeitet"

Musik

- Bangert, M., Peschel, T., Rotte, M., Drescher, D., Hinrichs, H., Schlaug, G., et al. (2005). Shared networks for auditory and motor processing in professional pianists: Evidence from fMRI conjunction. *NeuroImage, 30*, 917-926.
- Fritz, T., Jentschke, S., Gosselin, N., Sammler, D., Peretz, I., Turner, R.; Friederici, A.D. & Koelsch, S. (2009). Universal recognition of three basic emotions in music. *Current Biology, 19*, 573-576.

Koelsch, S. & Friederici, A.D. (2003).

Toward the neural basis of processing structure in music: Comparative results of different neurophysiological investigation methods. *Annals of the New York Academy of Sciences*, 999, 15-28.

Koelsch, S., Fritz, T., Schulze, K., Alsop, D., Schlauga, G. (2005).

Adults and children processing music: An fMRI study. *NeuroImage*, 25, 1068– 1076.

Koelsch, S., Fritz, T., von Cramon, D.Y., Müller, K. & Friederici, A.D. (2006).

Investigating emotion with music: An fMRI study. *Human Brain Mapping*, 27, 239-250.

Koelsch, S., Gunter, T.C., von Cramon, D.Y., Zysset, S., Lohmann, G. & Friederici, A.D. (2002).

Bach speaks: A cortical 'language-network' serves the processing of music. *NeuroImage*, 17, 956-966.

Koelsch, S., Siebel, W.A. (2005).

Towards a neural basis of music perception. *Trends in Cognitive Sciences*, 9, 578-584.

Maess, B., Koelsch, S., Gunter, T.C. & Friederici A.D. (2001).

Musical syntax is processed in Broca's area: An MEG study. *Nature Neuroscience*, 4, 540-545.

Münste, T.F., Altenmüller, E., Jäncke, L. (2002). The musician's brain as a model for neuroplasticity. *Nature Neuroscience Reviews*, 3, 473-478.

Norton, A., Zipse, L., Marchina, S., Schlaug, G. (2009).

Melodic Intonation Therapy, *Annals of the New York Academy of Sciences*, 1169, 431-436.

Perani, D., Saccuman, M.C., Scifo, P., Spada, D., Andreolli, G., Rovelli, R., Baldoli, C., Koelsch, S. (2010).

Functional specializations for music processing in the human newborn brain. *Proceedings of the National Academy of Sciences of the USA*, 107, 4758-4763.

Sprache

Friederici, A.D., Wang, Y., Herrmann, C.S., Maess, B. & Oertel, U. (2000).

Localization of early syntactic processes in frontal and temporal cortical areas: A magnetoencephalographic study. *Human Brain Mapping*, 11, 1-11.

Hahne, A. & Friederici, A.D. (2002).

Differential task effects on semantic and syntactic processes as revealed by ERPs. *Cognitive Brain Research*, 13, 339-356.

Heinke, W., Fiebach, C.J., Schwarzbauer, C., Meyer, M., Olthoff, D., Alter, K. (2004).

Sequential effects of propofol on functional brain activation induced by auditory language processing: an event-related functional magnetic resonance imaging study *British Journal of Anaesthesia*, 92, 641-650.

Wan, C.Y., Rüber, T., Hohmann, A., Schlaug, G. (2010).
The Therapeutic Effects of Singing in Neurological Disorders. *Music Perception*, 27, 287–295.

Zatorre, R.J., Chen, J.L., and Penhune, V.B. (2007).
When the brain plays music. Auditory-motor interactions in music perception and production. *Nature Reviews Neuroscience*, 8, 547-558.

Sprache und Musik

Albert, M.L., Sparks, R.W., Helm, N.A. (1973).
Melodic Intonation Therapy for Aphasia. *Archives of Neurology*, 130-131.

Dehaene-Lambertz, G., Montavont, A., Jobert, A., Alliol, L., Dubois, J., Hertz-Pannier, L.,
Dehaene, S. (2009).

Language or music, mother or Mozart? Structural and environmental influences on infants' language networks. *Brain and Language*, *In Press, Corrected Proof, Available online 27 October 2009*.

Jentschke, S., Koelsch, S. (2009).
Musical training modulates the development of syntax processing in children. *NeuroImage*, 47, 735-744.

Jentschke, S., Koelsch, S., Friederici, A.D. (2005)
Investigating the relationship of music and language in children: influences of musical training and language impairment. *Annals of the New York Academy of Sciences*, 1060, 231-242.

Jentschke, S., Koelsch, S., Sallat, S. & Friederici, A.D. (2008).
Children with specific language impairment also show impairment of music-syntactic processing. *Journal of Cognitive Neuroscience*, 20, 1940-1951.

Koelsch, S., Kasper, E., Sammler, D., Schulze, K., Gunter, T.C. & Friederici, A.D. (2004).
Music, language, and meaning: Brain signatures of semantic processing. *Nature Neuroscience*, 7, 302-307.

Neuroanatomie

Schlaug, G., Marchina, S., Norton, A. (2009).
Evidence for Plasticity in White-Matter Tracts of Patients with Chronic Broca's Aphasia Undergoing Intense Intonation-based Speech Therapy, *Annals of the New York Academy of Sciences*, 1169, 385-394.

Schneider, P., Scherg, M., Dosch, H.G., Specht, H.J., Gutschalk, A., Rupp, A. (2002).
Morphology of Heschl's gyrus reflects enhanced activation in the auditory cortex of musicians. *Nature Neuroscience*, 5, 688-694.

Vorlesung IV – 11.05.2010 - "Warum der Affe keine Sprache lernt"

Neuroanatomie bei Affe und Mensch

Brauer, J., Anwander, A. & Friederici, A.D. (2010).

Neuroanatomical prerequisites for language functions in the maturing brain. *Cerebral Cortex*. *Online Advance publication*. doi: 10.1093/cercor/bhq108

Pearce, J.M. (1987).

Introduction to Animal Cognition. London, Erlbaum.

Petrides, M., Pandya, D.N. (2009).

Distinct Parietal and Temporal Pathways to the Homologues of Broca's Area in the Monkey. *PLoS Biology*, 7.

Rilling, J.K., Glasser, M.F., Preuss, T.M., Ma, Z., Zhao T., Hu, Z., Behrens, T.E.J. (2008).

The Evolution of the Arcuate Fasciculus Revealed with Comparative DTI. *Nature Neuroscience*, 11, 426-428.

Schmidt, R.F., Thews, G. (1995)

Physiologie des Menschen, 26. Auflage, Heidelberg: Springer Verlag, pp 1-880.

Grammatik-Verarbeitung beim Menschen

Bahlmann, J., Schubotz, R. & Friederici, A.D. (2008).

Hierarchical artificial grammar processing engages Broca's area. *NeuroImage*, 42, 525-534.

Bornkessel, I., Zysset, S., Friederici, A.D., von Cramon, D.Y. & Schlesewsky, M. (2005).

Who did what to whom? The neural basis of argument hierarchies during language comprehension. *NeuroImage*, 26, 221-233.

de Vries, M.H., Monaghan, P., Knecht, S., Zwitserlood, P. (2008).

Syntactic structure and artificial grammar learning: The learnability of embedded hierarchical structures. *Cognition*, 107, 763-774

Fiebach, C.J., Vos, S.H. & Friederici, A.D. (2004).

Neural correlates of syntactic ambiguity in sentence comprehension for low and high span readers. *Journal of Cognitive Neuroscience*, 16, 1562-1575.

Friederici, A.D. (2004).

Processing local transitions versus long-distance syntactic hierarchies. *Trends in Cognitive Sciences*, 8, 245-247.

Friederici, A.D. (2004).
The neural basis of syntactic processes. In M.S. Gazzaniga (Ed.), *The Cognitive Neurosciences III* (pp. 789-801). Cambridge, MA: MIT Press.

Friederici, A.D., Bahlmann, J., Heim, S., Schubotz, R.I. & Anwander, A. (2006).
The brain differentiates human and non-human grammars: Functional localization and structural connectivity. *Proceedings of the National Academy of Sciences of the USA*, 103, 2458-2463.

Friederici, A.D., Fiebach, C.J., Schlesewsky, M., Bornkessel, I. & von Cramon, D.Y. (2006).
Processing linguistic complexity and grammaticality in the left frontal cortex. *Cerebral Cortex*, 16, 1709-1717.

Friederici, A.D., Makuuchi, M. & Bahlmann, J. (2009).
The role of the posterior superior temporal cortex in sentence comprehension. *NeuroReport*, 20, 563-568.

Friederici, A.D., Mecklinger, A., Spencer, K.M., Steinhauer, K. & Donchin, E. (2001).
Syntactic parsing preferences and their on-line revisions: A spatio-temporal analysis of event-related brain potentials. *Cognitive Brain Research*, 11, 305-323.

Friederici, A.D., Rüschemeyer, S.-A., Hahne, A. & Fiebach, C.J. (2003).
The role of left inferior frontal and superior temporal cortex in sentence comprehension: Localizing syntactic and semantic processes. *Cerebral Cortex*, 13, 170-177.

Makuuchi, M., Bahlmann, J., Anwander, A. & Friederici, A.D. (2009).
Segregating the core computational faculty of human language from working memory. *Proceedings of the National Academy of Sciences of the USA*, 106, 8362-8367.

Perruchet, P., Rey, A. (2005).
Does the mastery of center-embedded linguistic structures distinguish humans from nonhuman primates? *Psychonomic Bulletin & Review*, 12, 307-313.

Verarbeitung von Gebärdensprache beim Menschen

Meyer, M., Toepel, U., Keller, J., Nussbaumer, D., Zysset, S. & Friederici, A.D. (2007).
Neuroplasticity of sign language: Implications from structural and functional brain imaging. *Restorative Neurology & Neuroscience*, 25, 335-351.

Grammatik-Lernen beim Affen

Fitch, W.T.; Hauser, M.D. (2004).
Computational constraints on syntactic processing in a nonhuman primate. *Science*, 303, 377-380.

Vorlesung V – 27.05.2010 - "Warum Sprachenlernen für Erwachsene schwer ist"

Allgemein

Friederici, A.D. & Alter, K. (2004).

Lateralization of auditory language functions: A dynamic dual pathway model. *Brain and Language*, 89, 267-276.

Friederici, A.D. (1995).

The time course of syntactic activation during language processing: A model based on neuropsychological and neurophysiological data. *Brain and Language*, 50, 259-281.

Friederici, A.D. (2002).

Towards a neural basis of auditory sentence processing. *Trends in Cognitive Sciences*, 6, 78-84.

Friederici, A.D. (2004).

The neural basis of syntactic processes. In M.S. Gazzaniga (Ed.), *The Cognitive Neurosciences III* (pp. 789-801). Cambridge, MA: MIT Press.

Sprachverarbeitung in der Muttersprache

Friederici, A.D., Rüschemeyer, S.-A., Hahne, A. & Fiebach, C.J. (2003).

The role of left inferior frontal and superior temporal cortex in sentence comprehension: Localizing syntactic and semantic processes. *Cerebral Cortex*, 13, 170-177.

Hahne, A. & Friederici, A.D. (2002).

Differential task effects on semantic and syntactic processes as revealed by ERPs. *Cognitive Brain Research*, 13, 339-356.

Sprachverarbeitung in der Zweitsprache

Dehaene, S., Dupoux, E., Mehler, J., Cohen, L., Paulesu, E., Perani, D., van de Moortele, P.F., Lehericy, S., Le Bihan, D. (1997)
Anatomical variability in the cortical representation of first and second language. *NeuroReport*, 8, 3809-3815.

Hahne, A. & Friederici, A.D. (2001).

Processing a second language: Late learners' comprehension strategies as revealed by event-related brain potentials. *Bilingualism: Language and Cognition*, 4, 123-141.

Hahne, A. (2001).

What's Different in Second-Language Processing? Evidence from Event-Related Brain Potentials. *Journal of Psycholinguistic Research*, 30, 251-266.

- Kim, K.H.S., Relkin, N.R., Lee, K.-M., Hirsch, J. (1997).
Distinct cortical areas associated with native and second languages. *Nature*, 388, 171-174.
- Klein, D., Milner, B., Zatorre, R.J., Zhao, V., Nikelski, J. (1999).
Cerebral organization in bilinguals: A PET study of Chinese-English verb generation. *Neuroreport*, 10, 2841-2846.
- Kovács, A.M. & Mehler, J. (2009) .
Flexible Learning of Multiple Speech Structures in Bilingual Infants. *Science*, 325, 611-612.
- Osterhout, L., McLaughlin, J., Pitkänen, I., Frenck-Mestre, C., Molinaro, N. (2006).
Novice Learners, Longitudinal Designs, and Event-Related Potentials: A Means for Exploring the Neurocognition of Second Language Processing. *Language Learning*, 56, 199-230.
- Pallier, C., Dehaene, S., Poline, J.-B., LeBihan, D., Argenti, A.-M., Dupoux, E., Mehler, J. (2003).
Brain Imaging of Language Plasticity in Adopted Adults: Can a Second Language Replace the First? *Cerebral Cortex*, 13, 155 - 161.
- Perani, D., Dehaene, S., Grassi, F., Cohen, L., Cappa, S.F., Dupoux, E., Fazio, F., Mehler, J. (1996)
Brain processing of native and foreign languages. *NeuroReport*, 7, 2439-2444.
- Perani, D., Dehaene, S., Grassi, F., Cohen, L., Cappa, S.F., Paulesu, E., Dupoux, E., Fazio, F., Mehler J. (1996)
A PET study of native and foreign language processing. *Brain Lang*, 55, 99-101.
- Perani, D., Paulesu, E., Galles, N.S., Dupoux, E., Dehaene, S., Bettinardi, V., Cappa, S.F., Fazio, F., Mehler, J. (1998).
The bilingual brain. Proficiency and age of acquisition of the second language. *Brain*, 121, 1841-1852.
- Rüschemeyer, S.-A., Fiebach, C.J., Kempe, V. & Friederici, A.D. (2005).
Processing lexical semantic and syntactic information in first and second language: fMRI evidence from German and Russian. *Human Brain Mapping*, 25, 266-286.
- Wartenburger, I., Heekeren, H.R., Abutalebi, J., Cappa, S.F., Villringer, A., Perani, D. (2003)
Early Setting of Grammatical Processing in the Bilingual Brain. *Neuron*, 37, 159-170.

Sprach-Lernen

- Friederici, A.D., Bahlmann, J., Heim, S., Schubotz, R.I. & Anwender, A. (2006).
The brain differentiates human and non-human grammars: Functional localization and structural connectivity. *Proceedings of the National Academy of Sciences of the USA*, 103, 2458-2463.

Macedonia, M., Müller, K. & Friederici, A.D. (in press).

The impact of iconic gestures on foreign language word learning and its neural substrate.
Human Brain Mapping.

Opitz, B. & Friederici, A.D. (2003).

Interactions of the hippocampal system and the prefrontal cortex in learning language-like rules.
NeuroImage, 19, 1730-1737.